

Exploring the tourism markets' convergence hypothesis in South Korea

Tourism Economics
2023, Vol. 0(0) 1–12
© The Author(s) 2023



Article reuse guidelines:

sagepub.com/journals-permissions
DOI: 10.1177/13548166231171634
journals.sagepub.com/home/teu



Takashi Matsuki

Ryukoku University, Japan

Lei Pan* 

Curtin University, Australia

Abstract

This paper examines the tourism markets' convergence hypothesis across South Korea's major source markets. In doing so, we use monthly data of visitor arrivals over the period July 1995 to June 2019 and adopt a novel quantile unit root tests that allows for multiple structural breaks via a Fourier expansion series. Our results indicate that seven countries out of 10 show firm convergence tendencies at most of the quantiles, and two countries have weak but significant converging trends at some quantiles.

Keywords

Visitor arrivals, convergence, quantile unit root test, fourier expansion, South Korea

JEL classification: L83, Z30

Introduction

The central aim of this paper is to investigate the stationarity of tourist arrivals in South Korea from its 10 major source countries. Our motivation to examine convergence for tourist arrivals is two-fold. First, on the policy front, it is important to investigate whether a shock to the international tourist arrivals is permanent (tourist arrivals is $I(1)$ process) or temporary (tourist arrivals is $I(0)$ process). In particular, shocks to the tourism sector can cause volatility in tourism and foreign

*Helpful comments and suggestions on earlier version of this paper from an anonymous referee are appreciated. All the remaining errors are our own.

Corresponding author:

Lei Pan, School of Accounting, Economics and Finance, Curtin University, Kent St, Bentley, Perth, WA 6102, Australia.
Email: lei.pan@curtin.edu.au

exchange revenues. If a tourist arrival series is $I(1)$, then any shock to the tourist arrivals can cause a permanent shift from one level to another equilibrium level. This means that policy makers need to decrease reliance on the tourism industry by diversifying toward other industries. If tourist arrivals is $I(0)$ otherwise, the series then is mean reverting following the shock. The implication is that governments can implement policies that help promote tourism. Second, tourist arrivals convergence has forecasting implications as well. Specifically, one can use any simple model for forecasting and any regression model if tourist arrivals is $I(0)$. If a tourist arrival series is $I(1)$, then forecasting model needs to be established based on non-stationary specification and the series cannot be used for regression model.

This paper focuses on South Korea because South Korea as a peninsula with a physical size similar to the US state of Kentucky, and generates the third largest tourism revenue in East Asia. Moreover, in the Travel and Tourism Competitiveness Report of the World Economic Forum (WEF), South Korea ranked 16th out of 140 countries. Tourism plays a vital role in South Korea's economic growth. Before the outbreak of COVID-19 pandemic, the country's tourism sector was growing constantly and was recording a new peak in the number of visitor arrivals. In 2018, tourism industry accounted for 4.7% of South Korean's gross domestic product (GDP) and 5.3% of total employment.¹ The most popular city in South Korea is Seoul. The birthplace of K-pop and the Korean wave (also known as "Hallyu"), Seoul in 2019 ranked the 23rd most popular cities in the world with 9.11 million tourists.² Given the importance and rapid development of South Korean tourism industry, this paper examines whether South Korea's 10 major tourist source markets are converging using monthly data from July 1995 to June 2019.³

The work on investigating convergence for tourist arrivals is pioneered by [Narayan \(2006\)](#). Since then it has become an emerging topic in the recent tourism economics literature. To evaluate the convergence hypothesis of tourism markets, researchers mainly use the unit root tests and most of them find supporting evidence of convergence among major source countries (see e.g. [Lean and Smyth, 2008](#); [Lee, 2009](#); [Ozcan and Erdogan, 2017](#)). Another stream of more recent studies employs the log t test developed by [Phillips and Sul \(2007\)](#) for club convergence and provides mixed evidence (see e.g. [Kourtidis et al., 2018](#); [Me'rida et al., 2016](#); [Pizzuto and Sciortino, 2021](#); [Polemis et al., 2023](#)). It is worth mentioning that the variants of unit root tests used in the literature do not consider the possibility of asymmetric convergence speed. In regards to the test for convergence in clubs, selection of split variables⁴ remains one of the challenges in the convergence literature. Geographical locations and level of income are the two most widely used split variables in tourism economics literature. However, the top 10 countries by visitor arrivals to South Korea are relatively less heterogeneous in geographical locations⁵ and income level.⁶

The main purpose of this paper is to investigate the issue of convergence in the tourism markets of South Korea based on visitor arrivals from its major source countries. We contribute to the literature in two ways. Our principal contribution is that considering the possible asymmetric convergence speed, we adopt a novel quantile unit root test proposed by [Bahmani-Oskooee et al. \(2018\)](#). Specifically, the test captures asymmetric dynamics by allowing different speed of adjustment at various quantiles of visitor arrivals distribution. Furthermore, all visitor arrivals series experienced structural breaks due to the negative exogenous shocks such as outbreak of SARS. It is therefore possible that visitor arrivals series have outliers. The new method enables us to control for misspecification of errors associated with non-normality and in the presence of such outliers. Our second contribution is that, to the best of our knowledge, this is the first study to test the tourism markets' convergence hypothesis across South Korea's major source markets.

The rest of this paper is structured as follows: *Data* and *Model and empirical methodology* present the data used and the empirical methodology adopted in this study. *Empirical results* reports empirical findings, and *Conclusion* concludes.

Data

The data used in the present study are monthly total visitor arrivals to South Korea and visitor arrivals from 10 major source countries. These countries are China, Japan, the US, Taiwan, Hong Kong, the Philippines, Thailand, Indonesia, Malaysia, and Vietnam.⁷ All data series are retrieved from Datastream. The sample period is from July 1995 to June 2019. [Figure 1](#) plots the time path of visitor arrivals to South Korea from its 10 main source countries. It is evident from [Figure 1](#) that South Korea’s tourism sector suffers its worst year on record in 2015, with the massive drop in




Figure 1. Plot of visitor arrivals to South Korea (July 1995 to December 2019).

visitor arrivals from most of the major source countries due to the Middle East respiratory syndrome (MERS) outbreak in South Korea.

Model and empirical methodology

Model

Following [Narayan \(2006\)](#), the idea of examining whether South Korean tourism markets are converging can be specified in equation (1) below:

$$D_{i,t} = \ln\left(\frac{VA_{KOR,t}}{VA_{i,t}}\right) \quad (1)$$

where $VA_{i,t}$ represents visitor arrivals to South Korea from country i at time t ; $VA_{KOR,t}$ denotes total visitor arrivals to South Korea at time t ; and $D_{i,t}$ therefore is the difference in the log of visitor arrivals at time t .

[Table 1](#) presents the summary statistics. To examine the non-normality property of our data series, we also report the [Jarque and Bera \(1980\)](#) test statistic. It can be clearly seen that all of the data series follow non-normal distributions. As pointed out by [Koenker and Xiao \(2004\)](#), compared with the traditional unit root tests, the quantile autoregressive based unit root test has higher power when a data series is non-normally distributed. Hence, in this study, we use quantile regression method to examine the convergence hypothesis.

Empirical methodology

As illustrated in [Figure 1](#), most of the data series experienced at least one or two drastic changes in their trends or a certain kind of nonlinearity. We, therefore, adopt a novel quantile unit root test proposed by [Bahmani-Oskooee et al. \(2018\)](#) that allows smooth breaks in the trend term. We briefly describe the methodology below.

Suppose a stochastic variable with unknown number and form of structural breaks is generated by the following Fourier expansion

Table 1. Summary statistics of log difference in visitor arrivals.

Country	Obs.	Mean	Std.Dev.	Min	Max	J-B stat
China	288	1.88	0.70	0.75	3.04	16.34***
Japan	288	1.16	0.40	0.74	2.04	49.81***
United States	288	2.56	0.21	2.21	3.00	18.00***
Taiwan	288	3.20	0.34	2.60	3.76	15.81***
Hong Kong	288	3.46	0.27	2.95	3.96	12.18***
Philippines	288	3.29	0.16	3.03	3.57	16.65***
Thailand	288	3.20	0.34	2.60	3.76	15.81***
Indonesia	288	4.41	0.19	4.02	4.77	17.94***
Malaysia	288	4.31	0.27	3.75	4.80	10.93***
Vietnam	288	4.86	0.62	3.48	5.92	7.50**

Note: *, ** and *** denote statistical significance at the 10%, 5% and 1% levels, respectively.

$$D_{i,t} = \alpha_1 + \alpha_2 t + \alpha_3 \sin\left(\frac{2\pi kt}{N}\right) + \alpha_4 \cos\left(\frac{2\pi kt}{N}\right) + o_t \quad (2)$$

where N stands for sample size; t refers to the trend term; o_t denotes residuals; k represents the number of frequencies of the Fourier function, which is used to capture the structural breaks in our data series; the integer value of k is related to transitory shocks, and fractional value is associated with permanent shocks. Following [Becker et al. \(2004\)](#), to find the optimal frequency (k^*), we consider k over the range $[0.1, 5]$ and set the value of k when the sum of squared residuals of ordinary least squares (OLSs) estimation is applied to equation (2). Next, we use the residuals (\hat{o}_t) from equation (2) to test the null hypothesis of unit root in τ_{th} conditional quantile of \hat{o}_t by estimating the quantile regression below:

$$Q_{\hat{o}_t}(T|\xi_{t-1}) = \delta_0(T) + \delta_1(T)\hat{o}_{t-1} + \sum_{p=1}^{p=l} \delta_{1+p}(T)\Delta\hat{o}_{t-p} + v_t \quad (3)$$

where $Q_{\hat{o}_t}(\tau|\xi_{t-1})$ denotes τ_{th} quantile of \hat{o}_t conditional on the past information set, ξ_{t-1} ; $\delta_0(\tau)$ represents τ_{th} conditional quantile of ϑ_t , and its estimated value measures the magnitude of the observed shock that hits our data series in each quantile. Negative (positive) sign of the constant term (ie $\delta_0(\tau)$) indicates negative (positive) shock. The optimum lags (p^*) are decided by the Akaike's Information Criterion (AIC).

Although equation (3) follows standard augmented Dickey-Fuller (ADF) test at each quantile, our focal point is estimating the vector δ . Following [Koenker and Xiao \(2004\)](#), we use the following t ratio statistic to examine the stochastic properties within the τ_{th} quantile:

$$t_n(T_i) = \frac{\hat{f}(F^{-1}(T_i))}{\sqrt{T_i(1-T_i)}}(E'_{-1}P_X E_{-1})^{\frac{1}{2}}(\hat{\delta}_1(T_i) - 1) \quad (4)$$

where E_{-1} stands for the vector of lagged dependent variable (\hat{o}_{t-1}); P_X denotes the projection matrix onto the space orthogonal to $X = (1, \Delta\hat{o}_{t-1}, \dots, \Delta\hat{o}_{t-k})$. As noted by [Koenker and Xiao \(2004\)](#), the following equation can be used to obtain a consistent estimator of $\hat{f}(F^{-1}(\tau_i))$.

$$\hat{f}(F^{-1}(T_i)) = \frac{(T_i - T_{i-1})}{X'(\Theta(T_i) - \Theta(T_{i-1}))} \quad (5)$$

where $\Theta(\tau_i) = (\delta_0(\tau_i), \delta_1(\tau_i), \delta_2(\tau_i), \dots, \delta_{1+p}(\tau_i))$ and $\tau_i \in [\mu, \bar{\mu}]$. In this study, we set $\mu = 0.1$ and $\bar{\mu} = 0.9$. As suggested by [Bahmani-Oskooee et al. \(2018\)](#), we use the quantile Kolmogorov–Smirnov (QKS) test statistic below to test the hypothesis of unit root over a range of quantiles.

$$QKS = \sup_{T_i \in [\mu, \bar{\mu}]} |t_n(T)| \quad (6)$$

Because the limiting distribution of $t_n(\tau_i)$ and QKS test statistics are not standard and depend on nuisance parameters, we calculate the critical values by adopting [Bahmani-Oskooee et al. \(2018\)](#) re-sampling procedures.

Empirical results

To examine the stochastic properties of relative visitor arrivals to South Korea (i.e. $D_{i,t}$), we first apply three traditional unit root tests, namely ADF ([Dickey and Fuller, 1979](#)), DF-GLS ([Elliot et al., 1996](#)) and KPSS ([Kwiatkowski et al., 1992](#)), as a benchmark exercise. [Table 2](#) presents the results.

Table 2. Traditional unit root tests results (model with constant without trend).

Source country	ADF	DF-GLS	KPSS
China	-1.208 [15]	0.597 [15]	1.938*** (14)
Japan	-1.179 [15]	-0.604 [15]	1.586*** (14)
United States	-1.452 [15]	-0.086 [15]	1.674*** (14)
Taiwan	-1.648 [15]	-1.273 [15]	1.260*** (14)
Hong Kong SAR	-3.091** [15]	-1.829* [15]	0.348* (14)
Philippines	-0.885 [15]	0.384 [15]	1.803*** (14)
Thailand	-0.679 [14]	-0.682 [15]	1.698*** (14)
Indonesia	-1.096 [13]	-0.511 [13]	1.185*** (14)
Malaysia	-1.505 [15]	0.154 [15]	1.302*** (14)
Vietnam	0.188 [15]	0.942 [15]	1.780*** (14)

Note: The numbers in the bracket and parenthesis are optimum lag length (determined by AIC criteria) and Bartlett (as suggested by [Newey and West \(1987\)](#)).

The results suggest that the unit root null hypothesis cannot be rejected for nine countries by both ADF and DF-GLS tests. The KPSS unit root test results show that the null hypothesis of stationarity is rejected for all the 10 relative visitor arrivals series. Overall, our findings imply that all the relative visitor arrivals series follow random walk processes over the sample period. However, one may argue that since the sample period contains multiple structural breaks (eg SARS outbreak, global financial crisis in 2008–2009) and all data series are non-normally distributed, the conventional unit root tests could suffer from the issue of low power. Hence, the results may be biased.

To overcome these drawbacks, we estimate the Fourier function represented in equation (2). [Figure 2](#) shows the time paths of the relative visitor arrivals series (12-months moving averaged series) and the estimated Fourier functions. Overall, each of the Fourier functions seems to be one of the possible candidate models to capture the fluctuations of the relative visitor arrivals series over time.⁸ In addition, The F-test statistic ([Becker et al., 2004](#)) shown in [Table 3](#), which tests the null of no sine and cosine terms in the model, also supports the inclusion of trigonometric functions because all the null hypotheses are rejected under the 1% significance level.⁹ From [Figures 1 and 2](#), we should note that the relative visitor arrivals series may have various types of structural breaks occurring at unknown dates. Therefore, our Fourier approximations seem to be supported by the data visualization.

[Table 3](#) indicates the results of the Fourier QKS statistic, which tests the unit root null hypothesis at all the quantiles ranging from 0.1 to 0.9 against the stationarity alternative hypothesis. The test results show that nine countries out of 10 significantly reject the null; namely, the relative visitor arrivals series for each country converges to the total visitor arrivals. k^* indicates the optimum frequency for each series, which is between 0.1 and 3.6. As noted in [Bahmani-Oskooee et al. \(2018\)](#), these optimum frequencies imply structural breaks rather than short-term business cycles. For example, the Philippines, which has the frequency of 3.2, shows at least a 7.5-years cycle of its data variation.¹⁰ On the other hand, Thailand has the minimum k^* (0.1). As shown in [Figure 2](#), the whole cycle appears to be longer than the sample period because the fitted line is only a part of the cycle. In this case, its optimum frequency is estimated to be the minimum value. If we try to avoid such corner solutions, we may need a longer time span to cover a larger range of data movements. Moreover, since all these frequencies are fractional, the results imply the possibilities that the breaks may permanently affect the movements of the relative visitor arrivals.




Figure 2. Estimated Fourier expansion series.

Table 4 displays the p -value of $t_n(\tau)$ tests for each quantile. Obviously, the US, the Philippines, Indonesia, and Vietnam have strong tendencies of the stationarity, that is, the mean convergence of relative visitor arrivals series, in all the quantiles. The converging trends of Japan, Taiwan, and Hong Kong are also comparable to those mentioned above. For each country, the null is rejected in six or seven quantiles. On the other hand, Thailand and Malaysia show five cases of relative visitor arrivals convergence, respectively. Only one case is observed in China at the 10% significance level. In sum, at least seven countries firmly support the presence of relative visitor arrivals series convergence, and two countries have weaker but significant converging tendencies. Much weaker or no evidence of convergence is obtained in China. Thus, our overall results indicate that visitor arrivals to South Korea from the US, the Philippines, Indonesia, Vietnam, Japan, Taiwan, and Hong Kong have considerable steady growth and policy shocks are having transitory effect. Hence, it is suggested to the South Korean tourism industry that they should implement tourism policies to attract visitors from these countries, so that the total visitor arrivals can be increased more effectively in the future. Meanwhile, the South Korean government should pay attention to China that has a unit root in visitor arrivals as shocks to visitor arrivals for China is permanent. Indeed, South Korea suffers a huge tourism income loss due to China’s persistent zero-COVID policy. Therefore, in case

Table 3. Results of quantile unit root test with smooth breaks. F-statistic.

Country	k^*	F-statistic	Fourier QKS statistic			
			Test statistic	10%	5%	1%
China	3.6	43.5.766***	1.982	2.940	3.201	3.788
Japan	1.2	996.081***	3.923***	3.033	3.289	3.834
United States	1.7	2373.511***	5.612***	2.912	3.183	3.770
Taiwan	1.7	1090.432***	3.378**	2.948	3.193	3.677
Hong Kong	1.5	331.430***	4.558***	2.952	3.218	3.712
Philippines	3.2	883.765***	5.019***	3.077	3.315	3.908
Thailand	0.1	1121.943***	5.128***	3.089	3.359	3.874
Indonesia	1.1	438.737**	4.251***	3.003	3.283	3.839
Malaysia	1.8	789.038***	3.751**	3.037	3.295	3.781
Vietnam	1.9	3534.924***	3.842***	3.071	3.320	3.823

Note: k^* is optimum frequencies. The critical values of the faraday test and the Fourier QKS test are computed via Monte Carlo simulation with 5000 repli-cations. *, **, and *** denote statistical significance at the 10%, 5%, and 1% levels, respectively.

Table 4. Results of quantile unit root test with smooth breaks.

Country	p-value of $t_n(\tau)$								
	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
China	0.100	0.283	0.724	0.895	0.858	0.649	0.554	0.368	0.118
Japan	0.080	0.022	0.004	0.038	0.008	0.001	0.003	0.162	0.639
United States	0.000	0.000	0.000	0.000	0.002	0.008	0.001	0.005	0.000
Taiwan	0.021	0.005	0.007	0.065	0.053	0.125	0.037	0.240	0.289
Hong Kong	0.016	0.000	0.000	0.001	0.031	0.098	0.077	0.154	0.317
Philippines	0.007	0.000	0.001	0.000	0.000	0.000	0.003	0.009	0.063
Thailand	0.001	0.000	0.000	0.008	0.126	0.060	0.440	0.641	0.532
Indonesia	0.017	0.002	0.007	0.012	0.000	0.000	0.000	0.002	0.012
Malaysia	0.067	0.001	0.029	0.063	0.169	0.242	0.218	0.104	0.067
Vietnam	0.098	0.031	0.002	0.001	0.004	0.027	0.034	0.017	0.025

of such negative shocks occur, South Korean government needs to have some other compensating schemes of revenue losses from Chinese market.

Panels A and B of [Figure 3](#) show the estimated coefficients ($\delta_0(\tau)$ and $\delta_1(\tau)$) of equation (3) for the selected nine relative visitor arrivals series, significant in the Fourier QKS test. In Panel A, all the estimated quantile intercepts $\delta_0(\tau)$ have upward trends across quantiles. This means that when relative visitor arrivals receive a positive shock in a country, which makes its quantile lower, the intercept value correspondingly decreases. In other words, the positive shock helps narrow the gap between the total visitor arrivals and each country's visitor arrivals. Conversely, when relative visitor arrivals receive a negative shock, which makes its quantile higher, the intercept value correspondingly increases. Panel B of [Figure 3](#) observes three groups of the estimated autoregressive coefficients $\delta_1(\tau)$ in their shapes. First, the US, Indonesia, and Malaysia have inverse




Figure 3. Estimated quantile intercepts ($\delta_0(\tau)$) and autoregressive coefficients ($\delta_1(\tau)$) Panel A: Estimated quantile intercepts. Panel B: estimated autoregressive coefficients.

U-shaped curves. This fact means that when a certain positive shock on each country's visitor arrivals, which makes the gap between the total and each country's visitor arrivals smaller, occurs at lower quantiles, for example, less than 0.4-quantiles in the US, the impact of the shock is more transitory (the visitor arrivals tend to catch up with the total arrivals faster) because the autoregressive coefficient becomes further from one. When a negative shock occurs at higher quantiles, e.g. more than 0.7-quantiles in the US, the impact is also more transitory. However, in the middle of quantiles, any shock is more persistent because the autoregressive coefficient is closer to one. Second, Japan, Taiwan, Hong Kong, the Philippines, and Thailand have upward trends in their estimated $\delta_1(\tau)$. In particular, their slopes are steeper at higher quantiles. This implies that a negative shock raising the ratio of the total and each country's visitor arrivals is more persistent, and it impedes the convergence tendencies toward the total visitor arrival level because the autoregressive coefficient becomes larger. Finally, the coefficient value of Vietnam is generally flat up to 0.7-quantiles, and at higher quantiles such as 0.8- and 0.9-quantiles, it becomes smaller. This also means that the decreases in Vietnam's visitor arrivals caused by a negative impact are more transitory.

Conclusion

We examine the convergence hypothesis for visitor arrivals to South Korea over the period July 1995 to June 2019 using the novel quantile unit root test that allows for multiple structural breaks in the deterministic terms via Fourier expansion series. We obtain consistent evidence of tourism markets' convergence in seven countries, and subtle and significant signs of convergence in two more countries. Our findings have important policy implications for South Korean tourism industry. Since almost all tourism markets are converging, this indicates a healthy condition for tourists' arrivals from these markets. Furthermore, it also suggests that the difference between total visitor arrivals to South Korea and visitor arrivals from the nine tourist source countries is not drifting apart. Hence, South Korean government can develop tourism policies to increase the share of tourists coming from the nine particular destinations. Specifically, these tourism markets can be targeted with holiday packages and discounted fares, among other policies, to attract visitors.

There is potentially one limitation in this study. Our analysis does not include the COVID-19 period since the Fourier quantile unit root test used cannot fit the data for the pandemic period very well. Hence, future research could investigate the issue of convergence in tourism markets during the COVID-19 period. Moreover, future research could also test the long-run cointegration relationship between visitor arrivals from source countries and destination country's economic growth or foreign exchange reserve.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

ORCID iD

Lei Pan  <https://orcid.org/0000-0002-1054-981X>

Notes

1. <https://www.oecd-ilibrary.org/sites/6e8b663c-en/index.html?itemId=/content/component/6e8b663c-en>.
2. <https://www.worlddata.info/asia/south-korea/tourism.php#:~:text=South%20Korea%20generated%20around%2011.78,tourism%20receipts%20in%20East%20Asia.&text=The%20most%20popular%20cities%20in,travelers%20are%20Seoul%20and%20Jeju>.
3. Our sample does not include COVID-19 period since the Fourier function with appropriate frequencies does not fit the data well. Notably, due to the presence of seasonal variations, we remove them by applying centered 12-month moving average to our data series. Hence, the sample is shortened because the first and the last six observations are used for moving average calculation. That is, our initial sample covers the period January 1995 to December 2019.
4. The variable for dividing the sample into converging groups.
5. Nine out of the 10 countries are South Korea's neighboring countries.
6. Most of the major 10 source countries for tourists to South Korea are classified as developing countries by the United Nations.
7. The order is from the highest number of inbound arrivals to the lowest number of inbound arrivals. Refer to: <https://www.euromonitor.com/article/ranked-top-20-countries-inbound-arrivals-south-korea>.
8. To discuss the goodness of fit of the estimated Fourier functions shown in Figure 2 more properly, we need to conduct some specification tests.
9. The critical values of the faraday test for our sample size are computed via Monte Carlo simulation with 10,000 replications. The 1% critical values are 4.760, 4.631, 4.586, 4.713, and 4.674 for frequencies of 1–5, respectively.
10. $288/3.2 = 90$ months, which shows 7.5 years.

References

- Bahmani-Oskooee M, Chang T, Elmi Z, et al. (2018) Re-testing prebisch-singer hypothesis: New evidence using Fourier quantile unit root test. *Applied Economics* 50(4): 441–454.
- Becker R, Enders W and Lee J (2004) A general test for time dependence in parameters. *Journal of Applied Econometrics* 19: pp. 899–906.
- Dickey DA and Fuller WA (1979) Distribution of the estimators for autoregressive time series with a unit root. *Journal of the American Statistical Association* 74(366): 427–431.
- Elliot G, Rothenberg TJ and Stock JH (1996) Efficient tests for an autoregressive unit root. *Econometrica* 64(4): pp. 813–836.
- Jarque CM and Bera AK (1980) Efficient tests for normality, homoscedasticity and serial independence of regression residuals. *Economics Letters* 6(3): 255–259.
- Koenker R and Xiao Z (2004) Unit root quantile autoregression inference. *Journal of the American Statistical Association* 99(467): 775–787.
- Kourtzidis S, Tzeremes P, Tzeremes N, et al. (2018) Integration of tourism markets in Australia: An international visitor arrivals' convergence assessment. *Tourism Economics* 24(7): 901–907.
- Kwiatkowski D, Phillips PCB, Schmidt PJ, et al. (1992) Testing the null hypothesis of stationarity against the alternative of a unit root: How sure are we that economic time series have a unit root. *Journal of Econometrics* 54(1–3): 159–178.
- Lean HH and Smyth R (2008) Are Malaysia's tourism markets converging? Evidence from univariate and panel unit root tests with structural breaks. *Tourism Economics* 14(1): 97–112.
- Lee CG (2009) Research note: The convergence hypothesis for tourism markets: Evidence from Singapore. *Tourism Economics* 15(4): 875–881.

- Mérida AL, Carmona M, Congregado E, et al. (2016) Exploring the regional distribution of tourism and the extent to which there is convergence. *Tourism Management* 57(261–5177): 225–233.
- Narayan PK (2006) Are Australia’s tourism markets converging? *Applied Economics* 38(10): 1153–1162.
- Newey WK and West KD (1987) A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica* 55(3): 703–708.
- Ozcan B and Erdogan S (2017) Are Turkey’s tourism market converging? Evidence from the two-step LM and three-step RALS-LM unit root tests. *Current Issues in Tourism* 20(4): 425–442.
- Phillips PCB and Sul D (2007) Transition modeling and econometric convergence tests. *Econometrica* 75: pp. 1771–1855.
- Pizzuto P and Sciortino C (2021) Exploring the tourism markets’ convergence hypothesis in Italy. *Tourism Economics* 27(8): 1839–1847.
- Polemis ML, Tzeremes P and Tzeremes NG (2023) Hotel’s occupancy rates and convergence: Empirical evidence from the first pandemic wave. *Tourism Economics* 29(2): 533–542.

Author biographies

Takashi Matsuki is a professor of econometrics at Ryukoku University, Japan. His main research interests are econometrics and macroeconomics.

Lei Pan is a lecturer (assistant professor) in economics at Curtin University, Australia. His research interests comprise of international economics, macroeconomics, energy economics and tourism economics.